

**Canada**  
**ISSP 2012 – Family and Changing**  
**Gender Roles IV**  
**Study Description**

## ISSP Study Description Form

*Study title:* Family and Changing Gender Roles

*Fieldwork dates:* 2013-11-15 to 2014-03-31

*Principal investigators:* Carleton University Survey Centre

*Sample type:* Mail Survey

*Fieldwork institute:* Carleton University Survey Centre

*Fieldwork methods:* Mail

*N. of respondents:* number of respondents in the final ISSP file: 972

<p><i>Details about issued sample:</i></p> <p>Please follow the standards laid down in AAPOR/WAPOR, Standard Definitions: <a href="http://www.aapor.org/uploads/standarddefs_4.pdf">http://www.aapor.org/uploads/standarddefs_4.pdf</a>. The numbers in the parentheses are those used in Tables 2 and 3 of Standard Definitions.</p>	1. Total number of starting or issued names/addresses (gross sample size) *	7,000
	2. Interviews (1.0)	972
	3. Eligible, Non-Interview	100
	A. Refusal/Break-off (2.10)	
	B. Non-Contact (2.20)	
	C. Other	
i. Language Problems (2.33)		
ii. Miscellaneous Other (2.31, 2.32, 2.35)	28	
3. Unknown Eligibility, Non-Interview (3.0)	4,400	
4. Not Eligible		
A. Not a Residence (4.50)	500	
B. Vacant Residence (4.60)	1000	
C. No Eligible Respondent (4.70)		
D. Other (4.10,4.90)		

\* When new sample units are added during the field period via a new dwelling units list or other standard updating procedure, these additional issued units are added to the starting number of units to make up the total gross sample size. Also, when substitution is used, the total must include the originally drawn cases plus all substitute cases. See AAPOR/WAPOR Standard Definitions, pp. 9-10 for further clarification.

*Language(s):* English and French

*Weight present:* Yes

*Weighting procedure:*

IF (CA\_REG EQ 1) CVAR=.28.  
 IF (CA\_REG EQ 2) CVAR=.35.  
 IF (CA\_REG EQ 3) CVAR=.08.  
 IF (CA\_REG EQ 4) CVAR=.41.  
 IF (CA\_REG EQ 5) CVAR=1.6.  
 IF (CA\_REG EQ 6) CVAR=1.13.  
 IF (CA\_REG EQ 7) CVAR=.55.  
 IF (CA\_REG EQ 8) CVAR=.58.  
 IF (CA\_REG EQ 9) CVAR=2.2.  
 IF (CA\_REG EQ 10) CVAR=1.4.

IF (SEX EQ 1) SVAR=.82.  
 IF (SEX EQ 2) SVAR=1.38.

2014-05-05

If (RAge EQ 1) AVAR=.5.  
If (RAge EQ 2) AVAR=1.  
If (RAge EQ 3) AVAR=1.  
If (RAge EQ 4) AVAR=1.  
If (RAge EQ 5) AVAR=1.  
If (RAge EQ 6) AVAR=1.

COMPUTE WVAR=CVAR \* SVAR \* AVAR.

\*\* Handle missing CVAR and/or SVAR and or AVAR.

If (missing (WVAR) AND not missing (CVAR)) WVAR=CVAR.

If (missing (WVAR) AND not missing (SVAR)) WVAR=SVAR.

If (missing (WVAR) AND not missing (AVAR)) WVAR=AVAR.

If (missing (WVAR)) WVAR=1.

WEIGHT BY WVAR.

*Known systematic  
properties of sample:*

Sample based on residential land based telephone listing.

*Deviations from ISSP  
questionnaire:*

None

*Publications:*

None