

South Africa

ISSP 2010 South Africa

Please name the **ISSP module** which the documentation refers to (e.g., "Environment III / ISSP2010"):

Environment III / ISSP2010"

Please name your **country**:

South Africa

SEX - Sex of respondent

	National Language	English Translation
<i>Question no. and text</i>	Q225. Geslag van respondent	Q225. Sex of respondent
<i>Codes/ Categories</i>	1 Manlik	1 Male
	2 Vroulik	2 Female
<i>Interviewer Instruction</i>	Dra oor vanaf huishoudingrooster	Copy from contact sheet
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding:

Country Variable Codes (in translation)	→ SEX
If q225=1 then sex=1	1. Male
If q225=2 then sex=2	2. Female
If q225=. Then sex=9	9. No answer, refused

RECODE

q225

(1=1) (2=2) (SYSMIS=9) INTO sex .

VARIABLE LABELS sex 'R: Sex'.

EXECUTE

BIRTH – Year of birth

This question can be asked as an alternative to asking about AGE. If BIRTH is not asked directly, it must be computed by DATEYR 'year of interview' minus AGE 'age of respondent'.

	National Language	English Translation
<i>Question no. and text</i>		
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding: (list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers)

	Country Variable Codes/Construction Rules	→BIRTH
<i>Construction</i>	COMPUTE birth=2010 - Q227. DO IF (Q227 = 998 SYSMIS(Q227)). RECODE Q227 (SYSMIS=9999) (998=9998) INTO birth. END IF. EXECUTE.	
<i>Codes</i>		[16]
		[99]
		9998. Don't know
		9999. No answer

Optional: Recoding Syntax

--

AGE – Age of respondent

This question can be asked as an alternative to asking about BIRTH. If AGE is not asked directly, it must be computed by DATEYR 'year of interview' minus BIRTH 'year of birth'.

	National Language	English Translation
<i>Question no. and text</i>	227. Ouderdom van respondent in voltooide jare	227. Age of respondent in completed years
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding: (list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers)

	Country Variable Codes/Construction Rules	→AGE
<i>Construction</i>		
<i>Codes</i>		[16]
		[91]
		998. Don't know
		999. No answer

Optional: Recoding Syntax

```
RECODE Q227 (SYSMIS=999) (ELSE=Copy) INTO age.
VALUE LABELS age
998 Do not know
999 No answer.
EXECUTE.
```

EDUCYRS - Education I: years of schooling

	National Language	English Translation
<i>Question no. and text</i>	Q231 Hoeveel jare van voltydse opleiding het u voltooi?	Q231 How many years of full time education have you completed?
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Country Variable Codes/Construction Rules	→ EDUCYRS
	0. No formal schooling
	1. One year
	...
	95. Still at school
	96. Still at college/university/in training
	98. Don't know
	99. No answer

Optional: Recoding Syntax

No distinction between still at school / college/university - all coded to 95.

```
DO IF (q245 = 11) .
RECODE
  q231 (ELSE=95) .
END IF .
RECODE
q231
  (SYSMIS=99) (ELSE=Copy) INTO educyrs.
*COMMENT: No differentiation -ZA.
VARIABLE LABELS educyrs 'R: Education 1: years of schooling'.
EXECUTE .
```

nat_DEGR - Country-specific highest completed degree of education

	National Language		English Translation	
<i>Question no. and text</i>	Q230 Wat is die hoogste vlak van opvoeding wat u ooit voltooi het?		Q230 What is the highest level of education you have ever completed?	
<i>Codes/ Categories</i>	Geen skoolonderrig	00	No schooling	00
	Graad 0	01	Grade 0	01
	Sub A/Graad 1	02	Sub A/Grade 1	02
	Sub B/Graad 2	03	Sub B/Grade 2	03
	Graad 3/Standerd 1	04	Grade 3/Standard 1	04
	Graad 4/Standerd 2	05	Grade 4/Standard 2	05
	Graad 5/Standerd 3	06	Grade 5/Standard 3	06
	Graad 6/Standerd 4	07	Grade 6/Standard 4	07
	Graad 7/Standerd 5	08	Grade 7/Standard 5	08
	Graad 8/Standerd 6/Vorm 1	09	Grade 8/Standard 6/Form 1	09
	Graad 9/Standerd 7/Vorm 2	10	Grade 9/Standard 7/Form 2	10
	Graad 10/Standerd 8/Vorm 3	11	Grade 10/Standard 8/Form 3	11
	Graad 11/Standerd 9/Vorm 4	12	Grade 11/Standard 9/Form 4	12
	Graad 12/Standerd 10/Vorm 5/Matriek	13	Grade 12/Standard 10/Form 5/Matric	13
	NTS I	14	NTC I	14
	NTS II	15	NTC II	15
	NTS III	16	NTC III	16
	Diploma/sertifikaat ondergeskik aan Graad 12/Std 10	17	Diploma/certificate with less than Grade 12/Std 10	17
	Diploma/sertifikaat gelykstaande aan Graad 12/Std 10	18	Diploma/certificate with Grade 12/Std 10	18
	Graad	19	Degree	19
Nagraadse graad of diploma	20	Postgraduate degree or diploma	20	
Ander, spesifiseer	21	Other, specify	21	
Weet nie	99	Do not know/no answer	99	
<i>Interviewer Instruction</i>				
<i>Translation Note</i>				
<i>Note</i>				

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_DEGR
	...
	99. No answer

DEGREE: Education II: categories

DEGREE – Country-specific degrees of education

	National Language		English Translation	
<i>Question no. and text</i>	Q230 Wat is die hoogste vlak van opvoeding wat u ooit voltooi het?		Q230 What is the highest level of education you have ever completed?	
<i>Codes/ Categories</i>	Geen skoolonderrig	00	No schooling	00
	Graad 0	01	Grade 0	01
	Sub A/Graad 1	02	Sub A/Grade 1	02
	Sub B/Graad 2	03	Sub B/Grade 2	03
	Graad 3/Standerd 1	04	Grade 3/Standard 1	04
	Graad 4/Standerd 2	05	Grade 4/Standard 2	05
	Graad 5/Standerd 3	06	Grade 5/Standard 3	06
	Graad 6/Standerd 4	07	Grade 6/Standard 4	07
	Graad 7/Standerd 5	08	Grade 7/Standard 5	08
	Graad 8/Standerd 6/Vorm 1	09	Grade 8/Standard 6/Form 1	09
	Graad 9/Standerd 7/Vorm 2	10	Grade 9/Standard 7/Form 2	10
	Graad 10/Standerd 8/Vorm 3	11	Grade 10/Standard 8/Form 3	11
	Graad 11/Standerd 9/Vorm 4	12	Grade 11/Standard 9/Form 4	12
	Graad 12/Standerd 10/Vorm 5/Matriek	13	Grade 12/Standard 10/Form 5/Matric	13
	NTS I	14	NTC I	14
	NTS II	15	NTC II	15
	NTS III	16	NTC III	16
	Diploma/sertifikaat ondergeskik aan Graad 12/Std 10	17	Diploma/certificate with less than Grade 12/Std 10	17
	Diploma/sertifikaat gelykstaande aan Graad 12/Std 10	18	Diploma/certificate with Grade 12/Std 10	18
	Graad	19	Degree	19
Nagraadse graad of diploma	20	Postgraduate degree or diploma	20	
Ander, spesifiseer	21	Other, specify	21	
Weet nie	98	Do not know	98	
<i>Interviewer Instruction</i>				
<i>Translation Note</i>				
<i>Note</i>				

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	➔ DEGREE
---	----------

If q230=00 thru 09 then za_degree=0	0. No formal qualification
If q230=10 then za_degree=1	1. Lowest formal qualification attainable
If q230=11 thru 12 or q230=14 thru 15 or q230=17 then za_degree=2	2. Intermediary secondary completed (qualifications which are above the lowest qualification, but below the usual entry requirement for universities)
If q230=13 or q230=16 then za_degree=3	3. Higher secondary completed (usual entry requirement for universities: the German Abitur, the French Bac, English A-level, etc.)
If q230=18 then za_degree=4	4. University degree incomplete (qualifications which are above the higher secondary level, but BELOW a full university degree; also including completed degrees from a Polytechnic college, e.g. in German or Spain)
If q230=19 thru 20= then za_degree=5	5. University degree completed
If q230=21 or 98= then za_degree=9	

Check codes

Optional: Recoding Syntax

```

RECODE
  Q230
  (0 thru 9=0) (10=1) (11 thru 12=2) (13=3) (14 thru 15=2) (16=3) (17=2) (18=4)
  (19 thru 20=5) (21=9) (98=9)
  (SYSMIS=99) (ELSE=Copy) INTO degree.
VARIABLE LABELS degree 'R: Education 11-highest education level'.
EXECUTE .

```


WORK – Currently, formerly, or never in paid work

	National Language	English Translation
<i>Question no. and text</i>	Q234. Werk u tans vir 'n salaris, het u in die verlede vir 'n salaris gewerk of het u nog nooit vir 'n salaris gewerk nie?	Q 234. Are you currently working for pay, did you work for pay in the past ,or have you never been in paid work.
<i>Codes/ Categories</i>	1. Ek werk tans vir 'n salaris	1. Currently in paid work
	2. Ek werk nie tans vir 'n salaris nie maar het in die verlede vir 'n salaris gewerk	2. Currently not in paid work, paid work in the past
	3. Ek het nog nooit vir 'n salaris gewerk nie	3. Never had a paid work
	9. Geen antwoord	9. No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→WORK
If q234=1 then work=1	1. Currently in paid work
If q234=2 then work=2	2. Currently not in paid work, paid work in the past
If q234=3 then work=3	3. Never had a paid work
If q234=8 then work=9	9. No answer

Optional: Recoding Syntax

```

RECODE Q234org (ELSE=Copy) INTO q234rec.
EXECUTE.
DO IF (SYSMIS(Q235org) & SYSMIS(Q234org)).
RECODE Q234org (SYSMIS=9) INTO q234rec.
END IF.
EXECUTE .
DO IF (Q235org >= 1 & Q235org <= 96).
RECODE q234org (ELSE=1) INTO q234rec.
END IF.
EXECUTE.
RECODE Q234org (8=9) INTO q234rec.
EXECUTE.
RECODE Q234rec (ELSE=Copy) INTO work.
VARIABLE LABELS work 'R: Currently, formerly, or never in paid work'.
EXECUTE.
'org'=original source variable

```

'rec'=recoded variable

WRKHRS – Hours worked weekly

	National Language	English Translation
<i>Question no. and text</i>	Q235. Hoeveel ure het u of werk u normaalweg per week (u primere werk)?	Q235. How many hours do/did you normally work a week (in your main job)?
<i>Codes/ Categories</i>	96. 96 of meer ure 98. Weet nie	96. hours or more 98. Don't know
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Answer only if they have or had a job: Code 1,2 in Q 234

Country Variable Codes/Construction Rules	→WRKHRS
	1. One hour
	...
If q235=96 thru 97 then wrkhrs =96	96. 96 hours and more
If q235=98 then wrkhrs =98	98. Don't know

Optional: Recoding Syntax

```

RECODE Q235org (ELSE=Copy) INTO q235rec.
EXECUTE.
DO IF (SYSMIS(Q235org) & SYSMIS(Q234org)).
RECODE Q235org (SYSMIS=99) INTO q235rec.
END IF.
EXECUTE .
DO IF (q234rec =1 & SYSMIS(Q235org)).
RECODE Q235rec (SYSMIS=99).
END IF.
EXECUTE .
DO IF (SYSMIS(Q235org) & (q234org=2 | q234org=3)).
RECODE q235org (SYSMIS=0) INTO q235rec.
END IF.
EXECUTE .
DO IF SYSMIS(Q235rec).
RECODE q235rec (SYSMIS=99).
END IF.
EXECUTE .
RECODE
  q235rec
  (SYSMIS=99) (ELSE=Copy) INTO Wrkhrs .
VARIABLE LABELS Wrkhrs 'R: Hours worked weekly'.

```

EXECUTE .

EMPREL – Employment relationship

	National Language	English Translation
<i>Question no. and text</i>	Q 236. Is of was u in die verlede 'n werknemer, of het u vir uself gewerk of was u in diens van u eie familiebesigheid?	Q236. Are/were you an employee, self-employed or working for your own family's business?
<i>Codes/ Categories</i>	1. 'n Werknemer	1. Employee
	2. Het vir myself gewerk sonder werknemers	2. Self-employed without employees
	3. Het vir myself gewerk met werknemers	3. Self-employed with employees
	4. Werksaam in die familiebesigheid	4. Working for own family's business
	9. (Geen antwoord)	9. No answer
	0. NVT (Nog nooit gewerk nie)	0. NAP (Code 3 in WORK)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Answer only if they have or had a job: Code 1,2 in Q 234

Country Variable Codes/Construction Rules	→EMPREL
If q236=1 then emprel =1	1. Employee
If q236=2 then emprel =2	2. Self-employed without employees
If q236=3 then emprel =3	3. Self-employed with employees
If q236=4 then emprel =4	4. Working for own family's business
If q236=9 then emprel =9	9. No answer
If q236=0 then emprel =0	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

```
DO IF (work = 3).
RECODE Q236 (SYSMIS=0) .
END IF.
RECODE q236
(SYSMIS=9) (ELSE=Copy) INTO emprel.
VARIABLE LABELS emprel 'Employment relationship'.
EXECUTE.
```

NEMPLOY - Self employed: how many employees

	National Language	English Translation
<i>Question no. and text</i>	Q237. Hoeveel werknemers werk vir u?	Q237. How many employees do you have working for you?
<i>Codes/ Categories</i>		9995 employees or more
		9999 No answer
		0000 Not applicable
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Answer only if they have or had a job: Code 1,2 in Q 234 and Code 3 in Q236

Country Variable Codes/Construction Rules	→NEMPLOY
	1. 1 employee
	...
If Q237=995 then nemploy=9995	9995. 9995 employees or more
If q237=. Then nemploy=9999	9999. No answer
If q237=0 then nemploy=0	0000. NAP (Code 1, 2, 4, 0 in EMPREL)

Optional: Recoding Syntax

```

RECODE Q237 (999=9999).
EXECUTE.
DO IF (emprel = 1 | emprel = 2 | emprel = 4 | emprel = 0).
RECODE Q237 (SYSMIS=0000).
END IF.
RECODE q237
(SYSMIS=9999) (ELSE=Copy) INTO nemploy.
VARIABLE LABELS nemploy 'Self-employed: how many employees'.
EXECUTE..

```

WRKSUP - Supervise other employees

	National Language	English Translation
<i>Question no. and text</i>	Q238. Hou u toesig oor die werk van enige ander mense?	Q238. Do you supervise the work of any other people?
<i>Codes/ Categories</i>	1 Ja	Yes=1
	2 Nee	No=2
	(Weet nie)=8	Don't know=8
	Geen antwoord)=9	No answer=9
	Not applicable –never had a job=0	Not applicable –never had a job=0
<i>Interviewer Instruction</i>	If not currently employed ask most recent job	
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→WRKSUP
If q238=1 then WRKSUP=1	1. Yes
If q238=2 then WRKSUP=2	2. No
IF q238=8 then WRKSUP=8	8. Don't know
IF q238=9 then WRKSUP=9	9. No answer
If q238=8 then WRKSUP=8	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax**Added code 8 – don't know**

```
DO IF (work = 3).
RECODE Q238 (SYSMIS=0).
END IF.
EXECUTE.
RECODE Q238 (SYSMIS=9) (ELSE=Copy) INTO wrksup.
VARIABLE LABELS wrksup 'Supervise other employees'.
EXECUTE.
```

NSUP – Number of other employees supervised

	National Language	English Translation
<i>Question no. and text</i>	Q239. Oor hoeveel werknemers hou u toesig of het u toesig gehou?	Q239. How many other employees do/did you supervise?
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ NSUP
	1. 1 employee
	...
If q239= 9995 then NSUP=9995	9995. 9995 employees or more
If q239=9999 then NSUP=9999	9999. No answer
If q239=0000 then NSUP=0000	0000. NAP. (Code 2, 0 in WRKSUP)

Optional: Recoding Syntax

```
DO IF (q238 = 2 | q238 = 0).
RECODE Q239 (SYSMIS=0000) .
END IF.
RECODE q239
(SYSMIS=9999) (ELSE=Copy) INTO nsup.
VARIABLE LABELS nsup 'Number of other employees supervised'.
EXECUTE.
```

TYPORG1 – Type of organisation, for-profit/non-profit

	National Language	English Translation
<i>Question no. and text</i>	Q240 Werk u, of het u vir 'n winsgewende of nie-winsgewende organisasie gewerk?	Q240 Do/did you work for a fro profit organisation or for a non-profit organisation?
<i>Codes/ Categories</i>	1. Winsgewende organisasie	1. For-profit organisation
	2. Nie winsgewende organisasie	2. Non-profit organisation
	8. Weet nie	8. Don't know
	9. Geen antwoord	9. No answer
	0. NVT – het nog nooit gewerk nie	0. NAP (Code 3 in WORK)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→TYPORG1
If q240= 1 then Typorg1=1	1. For-profit organisation
If q240= 2 then Typorg1=2	2. Non-profit organisation
If q240= 3 then Typorg1=8	8. Don't know
If q240= 1 then Typorg1=9	9. No answer
If q240= 1 then Typorg1=0	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

```
DO IF (work = 3).
RECODE Q240 (SYSMIS=0) .
END IF.
RECODE q240
(SYSMIS=9) (ELSE=Copy) INTO typorg1.
VARIABLE LABELS typorg1 'Type of organisation, for-profit vs. non profit'.
EXECUTE.
```

TYPORG2 – Type of organisation, public/private

	National Language	English Translation
<i>Question no. and text</i>	Q241. Werk u, of het u vir 'n openbare of private werkgewer gewerk?	Q241. Do/did you work for a public or private employer
<i>Codes/ Categories</i>	1. Openbare werkgewer	1. Public employer
	2. Private werkgewer	2. Private employer
	8. (Weet nie)	8. Don't know
	9. (Geen antwoord)	9. No answer
	0. (NVT)	0. NAP (Code 3 in WORK)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→TYPORG2
If q 241=1 then typeorg2=1	1. Public employer
If q 241=2 then typeorg2=2	2. Private employer
If q 241=3 then typeorg2=3	8. Don't know
If q 241=9 then typeorg2=9	9. No answer
If q 241=0 then typeorg2=0	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

```
DO IF (work = 3).
RECODE Q241 (SYSMIS=0).
END IF.
RECODE q241
(SYSMIS=9) (ELSE=Copy) INTO typorg2.
VARIABLE LABELS typorg2 'Type of organisation, public vs. private'.
EXECUTE.
```


ISCO88 - Occupation ISCO 1988

Please give the text of the source question(s) on the respondent's occupation used in your field questionnaire. If ISCO88-codes are not coded directly from the responses, but derived from a country-specific occupation coding scheme, please provide a table of correspondence between country-specific and ISCO88 codes *attached as a separate file*. Please report which kind of ISCO code you apply. The most common ones are the code developed by the International Labour Organisation (ILO) and the variant developed for the European Union (EU), ISCO-COM. If you apply another variant such as ISCO88-CIS developed by the Statistical Committee of the Commonwealth of Independent States, then please specify.

Please do **not** enter **standard** ISCO88 codes here. But please report if your country **adds** or **changes** codes compared to ISCO88, if any.

Occupations should be coded on the 4-digit level of ISCO88. Occupational area 0 (Armed Forces occupations) needs some special attention. Since the ISCO variable is numeric, the 4-digit code 0110 will usually appear as 110 in the data file. It is therefore suggested that the only valid 3-digit code in the data file is 110 (Armed Forces).

In some special cases information concerning the occupation may be insufficient for 4-digit coding. Instead of coding these cases as [9998] "inadequately described" use 3-digit coding. In those very special cases where 3-digit coding is applied, fill in a zero for the missing digit. Example: code 131 is coded as 1310.

	National Language	English Translation
<i>Question no. and text</i>	Q.242 Wat is u huidige beroep (die benaming of titel van u werk)?	Q.242 What is your current occupation? (The name and title of your main job)?
<i>Codes/ Categories deviating from ISCO88 / ISCO88-COM</i>		97 Refused to answer
		98 Don't know, inadequately described
		99 Not applicable –never had a job
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		
<i>Use of ISCO</i>	ISCO88 (ILO) (ZA variant)	

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/ Construction Rules	→ ISCO88
	0110. (ISCO88 unit codes)
	...
	9333. (ISCO88 unit codes)
If q242=97 then ISCO88=9997	9997. Refused to answer
If q242=98 then ISCO88=9998	9998. Don't know; inadequately described
If q242=99/. then ISCO88=9999	9999. No answer
If q242=0 then ISCO88=0000	0000. NAP (Code 3 in WORK)

Optional: Recoding Syntax

```
DO IF (q234 = 3).
RECODE Q242 (ELSE=0).
END IF.
EXECUTE.
RECODE Q242 (SYSMIS=9999) (99=9999) (98=9998) (97=9997) .
EXECUTE.
RECODE q242
  (ELSE=Copy) INTO ISCO88.
VARIABLE LABELS ISCO88 'Occupation ISCO/ ILO 1988'.
EXECUTE.
```

MAINSTAT – Main status

	National Language	English Translation
<i>Question no. and text</i>	Q245. Wat is u huidige werkstatus?	Q245. What is your current employment status?
<i>Codes/ Categories</i>	1. Voltyds werksaam	1. Employed full time
	2. Deeltyds werksaam	2. Employed part time
	3. Werksaam maar minder as deeltyds (stukwerk)	3. Employed less than part time (casual work/piecework)
	4. Tydelik siek	4. Temporarily sick
	5. Werkloos, nie op soek na werk nie	5. Unemployed, not looking for work
	6. Werkloos, op soek na werk	6. Unemployed, looking for work
	7. Pensionaris	7. Pensioner (aged/retired)
	8. Permanent siek of gestrem	8. Permanently sick or disabled
	9. Tuisteskepper, werk glad nie en nie op soek na werk nie	9. Housewife, not working at all, not looking for work
	10. Tuisteskepper op soek na werk	10. Housewife, looking for work
	11. Student/leerder	11. Student/learner
	12. Ander (spesifiseer)	12. Other (specify)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ MAINSTAT
If q245=1/2/3 then mainstat=1	1. In paid work
If q245=6/10 then mainstat=2	2. Unemployed and looking for a job
If q245=11 then mainstat=3	3. In education
If q245=11 then mainstat=3	4. Apprentice or trainee
If q245= 8 then mainstat=5	5. Permanently sick or disabled
If q245=7 then mainstat=6	6. Retired
If q245=9 then mainstat=7	7. Domestic work
	8. In compulsory military service or community service
If q245=5/12 then mainstat=9	9. Other
If q245=4 then mainstat=10	10. Temporarily sick
If q245=. then mainstat=99	99. No answer

Optional: Recoding Syntax "In education" and "Apprentice or trainee" combined in questionnaire

RECODE q245

```
(1 thru 3=1) (6=2) (10=2) (11=3) (8=5) (7=6) (9=7) (4=10) (5=9) (12=9) (SYSMIS=99)  
INTO MAINSTAT.  
EXECUTE.
```

ISSP 2010 South Africa

PARTLIV – Living in steady partnership

	National Language	English Translation
<i>Question no. and text</i>	Q228. Het u 'n eggenoot/lebensmaat, en indien wel, deel u dieselfde huis?	Q228. Do you have a spouse/partner and if yes, do you live in the same household?
<i>Codes/ Categories</i>	1. Ja, ek het 'n eggenoot/lebensmaat en ons deel dieselfde huis	1. Yes, have partner; live in same household
	2. Ja, ek het 'n eggenoot/lebensmaat maar ons deel nie dieselfde huis nie	2. Yes, have partner; don't live in same household
	3. Geen eggenoot/lebensmaat	3. No partner
	7. Weier	7. Refused
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→PARTLIV
If q228=1 then partliv=1	1. Yes, have partner; live in same household
If q228=2 then partliv=2	2. Yes, have partner; don't live in same household
If q228=3 then partliv=3	3. No partner
If q228=9 then partliv=7	7. Refused
If q228=. then partliv=9	9. No answer

Optional: Recoding Syntax

```
RECODE Q228 (9=7) (SYSMIS=9) (ELSE=Copy) INTO partliv.
VARIABLE LABELS partliv 'Living in steady partnership'.
EXECUTE.
```

SPWORK – Spouse, partner: currently, formerly or never in paid work

	National Language	English Translation
<i>Question no. and text</i>	Q246. Indien u getroud is of 'n lewensmaat het, werk hy/sy tans vir 'n salaris, het hy/sy in die verlede vir 'n salaris gewerk of het hy/sy nog nooit vir 'n salaris gewerk nie?	Q246. If you are married or have a partner, is he or she currently working for pay, did he/she work for pay in the past, or has he/she never been in paid work?
<i>Codes/ Categories</i>	1. Werk tans vir 'n salaris	1. Currently in paid work
	2. Werk nie tans vir 'n salaris nie maar het in die verlede vir 'n salaris gewerk	2. Currently not in paid work, paid work in the past
	3. Het nog nooit vir 'n salaris gewerk nie	3. Never had paid work
	0. NVT (Kode 3 in PARTLIV)	0. NAP (Code 3 in PARTLIV)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPWORK
If q246=1 then spwork=1	1. Currently in paid work
If q246=2 then spwork=2	2. Currently not in paid work, paid work in the past
If q246=3 then spwork=3	3. Never had paid work
If q246=. then spwork=9	9. No answer
If q246=0 then spwork=0	0. NAP (Code 3 in PARTLIV)

Optional: Recoding Syntax

```
DO IF (Q228 = 3).
RECODE Q246 (SYSMIS=0) .
END IF.
RECODE q246
(SYSMIS=9) (ELSE=Copy) INTO spwork.
VARIABLE LABELS spwork 'Spouse, partner: Currently, formerly or never in paid work'.
EXECUTE.
```

SPWRKHRS – Spouse, partner: hours worked weekly

	National Language	English Translation
<i>Question no. and text</i>	Q247. Hoeveel uur per werk u eggenoot/leuensmaat gemiddeld in 'n normale week vir 'n salaris, of hoeveel uur het hy/sy gewerk? (insluitend oortyd)?	Q 247. How many hours, on average, does your spouse /partner usually work for pay in a normal week, including overtime?
<i>Codes/ Categories</i>	96. 96 ure of meer	96. 96 hours or more
	98. Weet nie	98. Don't know
	99. Geen antwoord	99. No answer
	00. NVT	00. NAP (Code 2 or 3 in SPWORK)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ SPWRKHRS
	1. 1 hour
	...
If q247=96 then spwrkhrs=96	96. 96 hours or more
If q247=98 then spwrkhrs=98	98. Don't know
If q247=. then spwrkhrs=99	99. No answer
If q247=0 then spwrkhrs=00	00. NAP (Code 2 or 3 in SPWORK)

Optional: Recoding Syntax

```
DO IF (spwork = 0 | spwork = 2 | spwork = 3).
RECODE Q247 (SYSMIS=0) .
END IF.
RECODE q247 (SYSMIS=99) (ELSE=Copy) INTO SPWRKHRS.
VARIABLE LABELS SPWRKHRS 'Spouse, partner: hours worked weekly'.
EXECUTE.
```

SPEMPREL – Spouse, partner: employment relationship

	National Language	English Translation
<i>Question no. and text</i>	Q248. Is of was u eggenoot/leuensmaat 'n werknemer, of het hy/sy vir hom/haarself gewerk of was hy/sy in diens van 'n familie besigheid?	Q248. Is/was your spouse/partner an employee, self-employed, or working for his/her own family's business?
<i>Codes/ Categories</i>	1.'n Werknemer	1. Employee
	2.In eie diens sonder werknemers	2. Self-employed without employees
	3.In eie diens met werknemers	3. Self-employed with employees
	4.Werksaam in die familiebesigheid	4. Working for own family's business
	5.Geen antwoord	9. No answer
	6.NVT (Nog nooit gewerk nie)	0. NAP (Never had a job)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPEMPREL
If q 248=1 then spemprel=1	1. Employee
If q 248=2 then spemprel=2	2. Self-employed without employees
If q 248=3 then spemprel=3	3. Self-employed with employees
If q 248=4 then spemprel=4	4. Working for own family's business
If q 248=. then spemprel=9	9. No answer
If q 248=0 then spemprel=0	0. NAP (Code 3 in SPWORK)

Optional: Recoding Syntax

```
DO IF (spwork = 3).
RECODE Q248 (SYSMIS=0).
END IF.
RECODE q248 (SYSMIS=9) (ELSE=Copy) INTO spemprel.
VARIABLE LABELS spemprel 'Spouse, partner: employment relationship'.
EXECUTE.
```


SPWRKSUP – Spouse, partner: supervise other employees

	National Language	English Translation
<i>Question no. and text</i>	Q249. Hou u eggenoot/ lewensmaat toesig of het u eggenoot/lebensmaat toesig gehou oor ander werknemers?	Q 249. Does/did your spouse/partner supervise other employees?
<i>Codes/ Categories</i>	1. Ja	1. Yes
	2. Nee	2. No
	8. Don't know	8. Weet nie
	9. Geen antwoord	9. No answer
	0. NVT	0. NAP (Code 3 in SPWORK)
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ SPWRKSUP
If Q249=1 then spwrksup=1	1. Yes
If Q249=2 then spwrksup=2	2. No
If Q249=8 then spwrksup=8	8. Weet nie
If Q249=. then spwrksup=9	9. No answer
If Q249=0 then spwrksup=0	0. NAP (Code 3 in SPWORK)

Optional: Recoding Syntax

```
DO IF (spwork = 0 | spwork = 3).
RECODE Q249 (SYSMIS=0).
END IF.
RECODE Q249 (SYSMIS=9) (ELSE=Copy) INTO spwrksup.
VARIABLE LABELS spwrksup 'Supervise other employees'.
EXECUTE.
```

SPISCO88 – Spouse, partner: occupation ISCO 1988

Please give the text of the source question(s) on the spouse's occupation used in your field questionnaire. If ISCO88-codes are not coded directly from the responses, but derived from a country-specific occupation coding scheme, please provide a table of correspondence between country-specific and ISCO88 codes *attached as a separate file*. Please report which kind of ISCO code you apply. The most common ones are the code developed by the International Labour Organisation (ILO) and the variant developed for the European Union (EU), ISCO-COM. If you apply another variant such as ISCO88-CIS developed by the Statistical Committee of the Commonwealth of Independent States, then please specify.

Please do **not** enter **standard** ISCO88 codes here. But please report if your country **adds** or **changes** codes compared to ISCO88, if any.

Occupations should be coded on the 4-digit level of ISCO88. Occupational area 0 (Armed Forces occupations) needs some special attention. Since the ISCO variable is numeric, the 4-digit code 0110 will usually appear as 110 in the data file. It is therefore suggested that the only valid 3-digit code in the data file is 110 (Armed Forces).

In some special cases information concerning the occupation may be insufficient for 4-digit coding. Instead of coding these cases as [9998] "inadequately described" use 3-digit coding. In those very special cases where 3-digit coding is applied, fill in a zero for the missing digit. Example: code 131 is coded as 1310.

	National Language	English Translation
<i>Question no. and text</i>		
<i>Codes/ Categories deviating from ISCO88 / ISCO88-COM</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		
<i>Use of ISCO</i>	ISCO88 (ILO) (ZA variant)	

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/ Construction Rules	➔ SPISCO88
---	------------

	0110. (ISCO88 unit codes)
	...
	9333. (ISCO88 unit codes)
	9998. Don't know; inadequately described
	9999. No answer
	0000. NAP (Code 3 in SPWORK)

Optional: Recoding Syntax

```
DO IF (spwork = 3).
RECODE Q250 (SYSMIS=9999) (99=9999) (98=9998) (97=9997) .
END IF.
RECODE q250 (SYSMIS=9999) (99=9999) (98=9998) (97=9997)
(ELSE=Copy) INTO SPISCO88.
VARIABLE LABELS SPISCO88 'Occupation ISCO/ ILO 1988'.
EXECUTE.
```

ISSP 2010 South Africa

SPMAINST – Spouse, partner: main status

	National Language	English Translation
<i>Question no. and text</i>	Q 253. Watter van die volgende beskryf u eggenote/leuensmaat se huidige situasie die beste?	Q253. Which of the following best describes your spouse's / partner's current situation?
<i>Codes/ Categories</i>	1.In betaalde werk	1. In paid work
	2.Werkloos en op soek na werk	2. Unemployed and looking for a job
	3.Besig met opleiding (student/leerder)	3. In education
	4.Ambagsman of leerling	4. Apprentice or trainee
	5.Permanent siek of gestrem	5. Permanently sick or disabled
	6.Pensionaris of afgetree	6. Retired
	7.Tuisteskeppter (sorg vir die huishouding)	7. Domestic work
	8.In gemeenskapsdiens	8. In compulsory military service or community service
	9.Ander (spesifiseer)	9. Other
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPMAINST
If q253=1 then spmainst=1	1. In paid work
If q253=2 then spmainst=2	2. Unemployed and looking for a job
If q253=3 then spmainst=3	3. In education
If q253=4 then spmainst=4	4. Apprentice or trainee
If q253=5 then spmainst=5	5. Permanently sick or disabled
If q253=6 then spmainst=6	6. Retired
If q253=7 then spmainst=7	7. Domestic work
If q253=8 then spmainst=8	8. In compulsory military service or community service
If q253=9 then spmainst=9	9. Other
If q253=. then spmainst=99	99. No answer
If q253=0 then spmainst=0	00. NAP (Code 3 in PARTLIV)

Optional: Recoding Syntax

Code 99: No answer / Never had a job

```
DO IF (q228 = 3).  
RECODE Q253 (ELSE=0).  
END IF.  
RECODE Q253 (SYSMIS=99) (ELSE=Copy) INTO spmainst.  
EXECUTE.
```

ISSP 2010 South Africa

UNION – Trade union membership

	National Language	English Translation
<i>Question no. and text</i>	Q.254 Is u 'n opbetaalde lid van 'n werkersunie?	Q.254 Are you a paid up member of a Trade Union?
<i>Codes/ Categories</i>	1. Ja, ek is tans 'n lid	1. Yes, I am currently a member
	2. Was voorheen 'n lid, maar nie nou nie	2. Yes, previously but not currently
	3. Nog nooit 'n lid nie	3. Never a member
<i>Interviewer Instructions</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→UNION
If q254=1 then union=1	1. Yes, currently
If q254=2 then union=2	2. Yes, previously but not currently
If q254=3 then union=3	3. No, never
If q254=7 then union=7	7. Refused
If q254 =.then union=9	9. No answer

Optional: Recoding Syntax

```

RECODE
  q254
  (SYSMIS=9) (ELSE=Copy) INTO Union .
VARIABLE LABELS Union 'R: Trade union membership'.
EXECUTE .

```

nat_RELIG – Country-specific religious affiliation

	National Language	English Translation
<i>Question no. and text</i>	Q 256 Indien u aan 'n godsdiens behoort, dui asseblief aan watter een	Q256 If you belong to a religion, please indicate which one.
<i>Codes/ Categories</i>	01 Christen (geen spesifikasie)	01 Christian (without specification)
	02 African Evangelical Church	02 African Evangelical Church
	03 Anglikaans	03 Anglican
	04 Assembles of God	04 Assembles of God
	05 Apostle Twelve	05 Apostle Twelve
	06 Baptiste	06 Baptist
	07 Nederduits Gereformeed	07 Dutch Reformed
	08 Volle Evangelie Kerk God	08 Full Gospel Church of God
	09 Faith Mission	09 Faith Mission
	10 Church of God and Saints of Christ	10 Church of God and Saints of Christ
	11 Jehovah se Getuies	11 Jehovah's Witness
	12 Lutheran	12 Lutheran
	13 Metodiste	13 Methodist
	14 Pentecostal Holiness Church	14 Pentecostal Holiness Church
	15 Rooms Katoliek	15 Roman Catholic
	16 Heilsleer	16 Salvation Army
	17 Sewende Dag Adventiste	17 Seventh Day Adventist
	18 St John's Apostolic	18 St John's Apostolic
	19 United Congregation Church	19 United Congregation Church
	20 Universal Church of God	20 Universal Church of God
21 Nazareth	21 Nazareth	
22 Zionist Christian Church	22 Zionist Christian Church	
23 Ander Christelik	23 Other Christian	
24 Islamities/Moslem	24 Islam / Muslim	
25 Judaisme/Joods	25 Judaism /Jewish	
26 Hindoe	26 Hinduism / Hindu	
27 Boedisme	27 Buddhism / Buddhist	
28 Ander (spesifiseer)	28 Other (specify)	
97 Weier	97 Refused	
98 Weet nie	98 Don't know	
99 Nie beantwoord	99 Not answered	
<i>Interviewer Instruction</i>		
<i>Translation</i>		

Note	
Filter Variable(s) and Conditions:	
If code 1 in Q 255	

Construction/Recoding:

Country Variable Codes/Construction Rules	→za Relig

Optional: Recoding Syntax

```

RECODE
  Q255
  (2=0) (ELSE=SYSMIS) INTO za_Relig .
  RECODE Q256 (97=997) (98=998) (99=999) (SYSMIS=999) (ELSE=COPY) INTO
  za_Relig .
EXECUTE .

```


RELIGGRP- Groups of religious affiliations

	National Language	English Translation
Question no. and text	Q256 Indien u aan 'n godsdiens behoort, dui asseblief aan watter een	Q256 If you belong to a religion, please indicate which one.
Codes/ Categories	01 Christen (geen spesifikasie)	01 Christian (without specification)
	02 African Evangelical Church	02 African Evangelical Church
	03 Anglican	03 Anglican
	04 Assembles of God	04 Assembles of God
	05 Apostle Twelve	05 Apostle Twelve
	06 Baptiste	06 Baptist
	07 Nederduits Gereformeed	07 Dutch Reformed
	08 Volle Evangelie Kerk God	08 Full Gospel Church of God
	09 Faith Mission	09 Faith Mission
	10 Church of God and Saints of Christ	10 Church of God and Saints of Christ
	11 Jehovah se Getuies	11 Jehovah's Witness
	12 Lutheran	12 Lutheran
	13 Metodiste	13 Methodist
	14 Pentecostal Holiness Church	14 Pentecostal Holiness Church
	15 Rooms Katoliek	15 Roman Catholic
	16 Heilsleer	16 Salvation Army
	17 Sewende Dag Adventiste	17 Seventh Day Adventist
	18 St John's Apostolic	18 St John's Apostolic
	19 United Congregation Church	19 United Congregation Church
	20 Universal Church of God	20 Universal Church of God
	21 Nazareth	21 Nazareth
	22 Zionist Christian Church	22 Zionist Christian Church
	23 Ander Christelik	23 Other Christian
	24 Islamities/Moslem	24 Islam / Muslim
	25 Judaisme/Joods	25 Judaism /Jewish
	26 Hindoe	26 Hinduism / Hindu
	27 Boedisme	27 Buddhism / Buddhist
	28 Ander (spesifiseer)	28 Other (specify)
	29 Weier	29 Refused
	30 Weet nie	30 Don't know
Interviewer Instruction		

Translation Note	
------------------	--

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ RELIGGRP
If q256=0 then religgrp=0	0.No religion
If q256=15 then religgrp=1	1. CATHOLIC
If q256=2 thru 14 then religgrp=2 or q256=16 thru 22 then religgrp=2	2. PROTESTANT
If q256=1 then religgrp=3	3. ORTHODOX
If q256=23 then religgrp=4	4. OTHER CHRISTIAN
If q256=25 then religgrp=5	5. JEWISH
If q256=24 then religgrp=6	6. ISLAMIC
If q256=27 then religgrp=7	7. BUDDHIST
If q256=26 then religgrp=8	8. HINDU
	9. OTHER ASIAN RELIGIONS
If q256=28 then religgrp=10	10. OTHER RELIGIONS
If q256=97 then religgrp=97	97. Refused
If q256=98 then religgrp=98	98. Information insufficient
If q256=99 then religgrp=99	99. No answer

Optional: Recoding Syntax

<pre> RECODE Q255 (2=0) (ELSE=SYSMIS) INTO ReligGRP . RECODE q256 (15=1) (2 thru 14 =2) (16 thru 22=2) (1=3) (23=4) (25=5) (24=6) (27=7) (26=8) (28=10) (99=99) (98=98) (97=97) INTO ReligGRP . VARIABLE LABELS ReligGRP 'R: Religious main groups'. EXECUTE . DO IF (SYSMIS(ReligGRP)) . RECODE ReligGRP (SYSMIS=99) . END IF . EXECUTE . </pre>

ATTEND – Attendance of religious services

	National Language	English Translation
<i>Question no. and text</i>	Q257 Uitgesonderd spesiale geleenthede soos troues, begrafnisse en doopgeleenthede, hoe dikwels woon u dienste by wat verband hou met geloof?	Q257 Apart from special occasions such as weddings, funerals and baptisms, how often do you attend services or meetings connected with your religion?
<i>Codes/ Categories</i>	01 Verskeie kere per week	1 Several times a week or more often
	02 Elke week	2 Once a week
	03 2-3 keer per maand	3 2-3 times a month
	04 Een keer per maand	4 Once a month
	05 Verskeie kere per jaar	5 Several times a year
	06 Een of twee keer per jaar	6 Once or twice a year
	07 Minder as een keer per jaar	7 Less frequent than once a year
	08 Nooit	8 Never
	09 Weier	97 Refused
	98 Weet nie	98 Do not know
	99 Geen antwoord	99 No answer
<i>Interviewer Instruction</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ ATTEND
If q257=01 then attend=1	1. Several times a week or more often
IF q257=02 then attend=2	2. Once a week
IF q257=03 then attend=3	3. 2 or 3 times a month
IF q257=04 then attend=4	4. Once a month
IF q257=05 then attend=5	5. Several times a year
IF q257=06 then attend=6	6. Once a year
IF q257=07 then attend=7	7. Less frequently than once a year
IF q257=08 then attend=8	8. Never
IF q257=97 then attend=97	97. Refused
IF q257=98 then attend=98	98. Don't know
If q257=. then attend=99	99. No answer

Optional: Recoding Syntax

```
RECODE  
  q257  
  (SYSMIS=99) (ELSE=Copy) INTO Attend.  
VARIABLE LABELS Attend 'R: Attendance of religious services'.  
EXECUTE .
```

ISSP 2010 South Africa

TOPBOT – Top-Bottom self-placement

	National Language	English Translation
<i>Question no. and text</i>	Q263. In ons samelewing is daar groepe wat geneig is om aan die bokant en groepe wat geneig is om aan die onderkant te wees. Hieronder is 'n skaal wat van bo na onder gaan. Waar sal u uself op hierdie skaal plaas	Q263. In our society there are groups which tend to be towards the top and groups which tend to be towards the bottom. Where would you put yourself on a scale of 1-10, where 10 is the top and 1 the bottom.
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ TOPBOT
If q263=1 then topbot=1	1. Lowest, Bottom
If q263=2 then topbot=2	2.
If q263=3 then topbot=3	3.
If q263=4 then topbot=4	4.
If q263=5 then topbot=5	5.
If q263=6 then topbot=6	6.
If q263=7 then topbot=7	7.
If q263=8 then topbot=8	8.
If q263=9 then topbot=9	9.
If q263=10 then topbot=10	10. Highest, Top
If q263=. then topbot=99	99. No answer

Optional: Recoding Syntax

```

RECODE
  q263
  (SYSMIS=99) (ELSE=Copy) INTO Topbot .
VARIABLE LABELS Topbot 'R: Top Bottom self-placement 10 pt scale'.
EXECUTE .

```

nat_PRTY - Country-specific party affiliation

	National Language	English Translation
<i>Question no. and text</i>	Q221 As daar more 'n verkiesing is, vir watter party sal u stem?	Q221 If there was an election tomorrow, for which party would you vote?
<i>Codes/ Categories</i>	01 African Christian Democratic Party (ACDP)	01 African Christian Democratic Party (ACDP)
	02 African National Congress (ANC)	02 African National Congress (ANC)
	03 Azanian People's Organisation (AZAPO)	03 Azanian People's Organisation (AZAPO)
	04 Democratic Party/Demokratiese Party/Alliansie (DP/DA)	04 Democratic Party / Alliance (DA/DP)
	05 Vryheidsfront (FF/VF)	05 Freedom Front (FF/VF)
	06 Onafhanklike Demokrate (ID)	06 Independent Democrats (ID)
	07 Inkatha Vryheidsparty (IFP/IVP)	07 Inkatha Freedom Party (IFP)
	08 Minority Front (MF)	08 Minority Front (MF)
	09 Pan-Africanist Congress (PAC)	09 Pan-Africanist Congress (PAC)
	10 United Christian Democratic Party (UCDP)	10 United Christian Democratic Party (UCDP)
	11 United Democratic Movement (UDM)	11 United Democratic Movement (UDM)
	12 Kongres van die Mense (COPE)	12 Congress of the People (COPE)
	13 Ander (spesifiseer)	13 Other (specify)
	14 Sal nie stem nie	14 Will not vote
	15 Onseker	15 Uncertain
<i>Interviewer Instructions</i>	97 Weier om te antwoord	97 Refuse to answer
<i>Translation Note</i>	98 Weet nie	98 Don't know
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_PRTY
	...
	94.
If q221=13 then za_prty=95	95. Other
If q221=14 then za_prty=96	96. No party affiliation
If q221=97 then za_prty=97	97. Refused

If q221=15/98 then za_prty=98	98. Don't know/Uncertain
If q221=. then za_prty=99	99. No answer

Optional: Recoding Syntax

```

RECODE
q221
(15=98) (13=95) (14=96) (SYSMIS=99) (ELSE=Copy) INTO za_prty.
VARIABLE LABELS za_prty 'R: Party affiliation: South Africa'.
EXECUTE.

```

ISSP 2010 South Africa

PARTY_LR - Party affiliation: left - right scale

	National Language	English Translation
<i>Question no. and text</i>	Q221 As daar more 'n verkiesing is, vir watter party sal u stem?	Q221 If there was an election tomorrow, for which party would you vote?
<i>Codes/ Categories</i>	01 African Christian Democratic Party (ACDP)	01 African Christian Democratic Party (ACDP)
	02 African National Congress (ANC)	02 African National Congress (ANC)
	03 Azanian People's Organisation (AZAPO)	03 Azanian People's Organisation (AZAPO)
	04 Demokratiese Party/Demokratiese Party/Alliansie (DP/DA)	04 Democratic Party / Alliance (DA/DP)
	05 Vryheidsfront (FF/VF)	05 Freedom Front (FF/VF)
	06 Onafhanklike Demokrate (ID)	06 Independent Democrats (ID)
	07 Inkatha Vryheidsparty (IFP/IVP)	07 Inkatha Freedom Party (IFP)
	08 Minority Front (MF)	08 Minority Front (MF)
	10 Pan-Africanist Congress (PAC)	10 Pan-Africanist Congress (PAC)
	11 United Christian Democratic Party (UCDP)	11 United Christian Democratic Party (UCDP)
	12 United Democratic Movement (UDM)	12 United Democratic Movement (UDM)
	13 Kongres van die Mense (COPE)	13 Congress of the People (COPE)
	14 Ander (spesifiseer)	14 Other (specify)
	15 Sal nie stem nie	15 Will not vote
	16 Onseker	16 Uncertain
	97 Weier om te antwoord	97 Refuse to answer
98 Weet nie	98 Don't know	
<i>Interviewer Instructions</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ PARTY_LR
If q221=3 then party_lr=1	1. Far left (communist, etc.)
If q221=09 then party_lr =2	2. Left / centre left
If q221=02 or q231=04 or q231=06 or q231=12 then party_lr =3	3. Centre / liberal

If q221=01/05/08/10/11 then party_lr =4	4. Right / conservative
If q221=07 then party_lr =5	5. Far right (fascist, etc.)
If q221=13 then party_lr =6	6. Other
If q221=14 then party_lr =7	7. No party affiliation
If q221=97 then party_lr =97	97. Refused
If q221=15/98 then party_lr =98	98. Insufficient information
If q221=. then party_lr=99	99. No answer

Optional: Recoding Syntax

```

RECODE
  Q221
  (1=4) (2=3) (3=1) (4=3) (5=4) (6=3) (7=5) (8=4) (9=2) (10=4) (11=2) (12=3)
  (13=6) (14=7) (15=98) (98=98)
  (97=97) (SYSMIS=99) INTO Party_LR .
VARIABLE LABELS Party_LR 'R: Party affiliation:left-right(derived)'.
EXECUTE .

```

VOTE_LE - Did respondent vote in last general election?

Derived from voting question.

	National Language	English Translation
<i>Question no. and text</i>	Q 220. Vir watter party het u in die laaste nasionale verkiesings, wat in 2009 gehou is, gestem?	Q 220. For which party did you vote in the last national election, which was held in 2009.
<i>Codes/ Categories</i>	1.African Christian Democratic Party (ACDP)	1. African Christian Democratic Party (ACDP)
	2.African National Congress (ANC)	2.African National Congress (ANC)
	3.Azania People's Organisation (AZAPO)	3.Azania People's Organisation (AZAPO)
	4.Demokratiese Party/Alliansie (DP/DA)	4.Democratic Party / Alliance (DA/DP)
	5.Vryheidsfront Plus(VF+)	5.Freedom Front Plus / Vryheidsfront Plus (FF+/VF+)
	6.Onafhanklike Demokrate (OD)	6.Independent Democrats (ID)
	7.Inkatha Vryheidsparty (IVP)	7.Inkatha Freedom Party (IFP)
	8.Minority Front (MF)	8.Minority Front (MF)
	9.Pan-Africanist Congress (PAC)	9.Pan-Africanist Congress (PAC)
	10.United Christian Democratic Party (UCDP)	10.United Christian Democratic Party (UCDP)
	11.United Democratic Movement (UDM)	11.United Democratic Movement (UDM)
	12.Congress of the People (COPE)	12.Congress of the People (COPE)
	13. Ander (spesifiseer)	13.Other (specify)
	14. Het nie gestem nie	14.No party
	15. Onseker	15. Will not vote
	97. Weier om te antwoord)	97.Refuse to answer
	98. Weet nie	98.Do not know
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ VOTE_LE
	0. Not eligible to vote at last election

If q220=1 thru 13 then vote_le=1	1. Yes
If q220=14 then vote_le=2	2. No
If q220=97 then vote_le=7	7. Refused
If q220=15/98 then vote_le=2	8.Dont know
If q220=. then vote_le=9	9. No answer

Optional: Recoding Syntax

```

RECODE
  q220
  (14=2) (1 thru 13=1) (15=8) (98=8) (97=7) (SYSMIS=9) INTO Vote_le .
VARIABLE LABELS Vote_le 'R: Vote last election: yes, no'.
EXECUTE .

```

ISSP 2010 South Africa

nat_ETHN – Country-specific: origin country / ethnic group / ethnic identity / family origin

	National Language	English Translation
Question no. and text	Q226 Ras van respondent	Q226 Race of respondent
Indian/ACodes/ Categories	1. Swart Afrikaan	1. Black African
	2. Kleurling	2. Coloured
	3. Indier/Asier	3. Indian/Asian
	4. Wit	4. White
	5. Ander	5. Other
Interviewer Instruction		
Translation Note		
Note		

Construction/Recoding:

Country Variable Codes/Construction Rules	→ RACE
If q226=1 then za_ethn =1	1. Black African
If q226=2 then za_ethn =2	2. Coloured
If q226=3 then za_ethn =3	3. Indian/Asian
If q226=4 then za_ethn =4	4. White
If q226=5 then za_ethn =5	5. Other
If q 226=. za_ethn =99	99. No answer

Optional: Recoding Syntax

```

RECODE
  q226
  (SYSMIS=9) (ELSE=Copy) INTO za_ethn .
VARIABLE LABELS za_ethn 'Country specific: origin country/ ethnic group/ ethnic
identity/ family origin: South Africa'.
EXECUTE .

```

Given the apartheid history in South Africa, the race categorization of white, black (African), Indian and coloured is very commonly understood in South Africa. This is the most common variable used to categorise various the races. Among the African people there are various tribes, and the most common way –although this is seldom used– to ethnize the African group would be to use the African language that they speak, i.e. Sesotho, Setswana, Sepedi, Siswati, IsiNdebele, IsiXhosa, IsiZulu, Xitsonga, Tshivenda.

In terms of the White groups (Europeans) it is fairly uncommon to ask origin country and the only further distinction is again based on language, that is the Afrikaans speakers and the English

speakers. Coloured people and the Indian population are generally treated as a homogenous group with no further distinction.

ISSP 2010 South Africa

HOMPOP - How many persons in household
(Derived from household roster)

	National Language	English Translation
Question no. and text		(Derived from household roster)
Codes/ Categories		
Interviewer Instruction		
Translation Note		
Note		

Filter Variable(s) and Conditions:

--

Country Variable Codes/Construction Rules	→ HOMPOP
	00. Not a private household
	01. One person (only respondent)
	...
	99. No answer

Optional: Recoding Syntax

```

*** hompop10.sas SASAS 2010 ISSP data (Questionnaire 2);
** This pgm calculates (real=1-2) number of persons in hhold;

PROC IMPORT OUT=hompop1
  FILE="S:\PHHSI\CorpData\DataMan\work\KS\taamaa SASAS 2010\ISSP\ispp2010_js.sav"
  DBMS=SPSS REPLACE;
RUN;

data d1;
set hompop1;

array a(l) age1 age2 age3 age4 age5 age6 age7
age8 age9 age10 age11 age12 age13 age14 age15
age16 age17 age18 age19 age20 age21 age22 age23
age24 age25;

  hompop=0; mis=0;
do l = 1 to 25;

if a ne . then hompop + 1;
if a=. then mis + 1;
end;

if mis=25 then hompop=.;

run;

```

```
data hompop2 (keep=uniqueid hompop);  
set d1;  
run;  
  
proc print data=d1 (obs=50);  
var uniqueid real age1-age25 hompop mis;  
title 'Questionnaire 2: ISSP 2010 data - number of persons in hhold';  
run;  
  
PROC EXPORT DATA=WORK.hompop2  
FILE="S:\PHHSI\CorpData\DataMan\work\KS\taamaa SASAS 2010\ISSP\issp2010_hompop.sav"  
DBMS=SPSS REPLACE;  
RUN;
```

ISSP 2010 South Africa

HHCHILDR - How many children in household

(Derived from household roster)

	National Language	English Translation
Question no. and text		(Derived from household roster)
Codes/ Categories		
Interviewer Instruction		
Translation Note		
Note		

Filter Variable(s) and Conditions:

--

Construction/Recoding: (list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers.)

Country Variable Codes/Construction Rules	→ HHCHILDR
	00. No children
	01. One child
	...
	96. NAP (Code 0 in HOMPOP)
	99. No answer

Optional: Recoding Syntax

```

*** child6_17.sas SASAS 2010 ISSP data (Questionnaire 2);

** This pgm calculates (real=1-2) number of persons in hhold 6-17 years old. ;

PROC IMPORT OUT=hh6_17
  FILE="S:\PHHSI\CorpData\DataMan\work\KS\taamaa SASAS 2010\ISSP\issp10data\issp2010_js.sav"
  DBMS=SPSS REPLACE;
RUN;
data d1;
set hh6_17;

array a(l) age1 age2 age3 age4 age5 age6 age7
age8 age9 age10 age11 age12 age13 age14 age15
age16 age17 age18 age19 age20 age21 age22 age23
age24 age25;

  cnt6_17=0; mis=0;
do l = 1 to 25;

if 6<=a<=17 then cnt6_17 + 1;
if a=. then mis + 1;
end;

```



```
if mis=25 then cnt6_17=.;  
run;  
  
data child (keep=uniqueid cnt6_17);  
set d1;  
run;  
  
proc print data=d1 (obs=48);  
var uniqueid real age1-age25 cnt6_17 mis;  
title 'Questionnaire 2: ISSP 2010 data - number of children 6-17 years in hhold';  
run;  
  
PROC EXPORT DATA=WORK.child  
FILE="S:\PHHSI\CorpData\DataMan\work\KS\taamaa SASAS 2010\ISSP\issp10data\issp2010_child.sav"  
DBMS=SPSS REPLACE;  
RUN;
```

ISSP 2010 South Africa

HHTODD - How many toddlers in household

(Derived from household roster)

	National Language	English Translation
Question no. and text		(Derived from household roster)
Codes/ Categories		
Interviewer Instruction		
Translation Note		
Note		

Filter Variable(s) and Conditions:

--

Construction/Recoding: (list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers.)

Country Variable Codes/Construction Rules	→ HHTODD
	00. No toddlers
	01. One toddler
	...
	96. NAP (Code 0 in HOMPOP)
	99. No answer

Optional: Recoding Syntax

```

*** toddler.sas SASAS 2010 ISSP data (Questionnaire 2);

** This pgm calculates (real=1-2) number of toddlers in hhold <=5 years old. ;

PROC IMPORT OUT=toddler
  FILE="S:\PHHSI\CorpData\DataMan\work\KS\taamaa SASAS 2010\ISSP\issp10data\issp2010_js.sav"
  DBMS=SPSS REPLACE;
RUN;
data d1;
set toddler;

array a(l) age1 age2 age3 age4 age5 age6 age7
age8 age9 age10 age11 age12 age13 age14 age15
age16 age17 age18 age19 age20 age21 age22 age23
age24 age25;

count5=0; mis=0;
do l = 1 to 25;

if 0<=a<=5 then count5 + 1;
if a=. then mis + 1;
end;

```

```
if mis=25 then count5=.;  
  
run;  
  
data toddler (keep=uniqueid count5);  
set d1;  
run;  
  
proc print data=d1 (obs=48);  
var uniqueid real age1-age25 count5 mis;  
title 'Questionnaire 2: ISSP 2010 data - number of children <=5 years in hhold';  
run;  
  
PROC EXPORT DATA=WORK.toddler  
FILE="S:\PHHSI\CorpData\DataMan\work\KS\taamaa SASAS  
2010\ISSP\issp10data\issp2010_toddler.sav"  
DBMS=SPSS REPLACE;  
RUN;
```

ISSP 2010 South Africa

nat_RINC – Country-specific: personal income

	National Language	English Translation
<i>Question no. and text</i>	Q297. Dui asseblief die letter aan wat DIE TOTALE MAANDELIKSE PERSOONLIKE INKOMSTE van alle persone in u huishouding voor belasting en ander aftrekkings die beste beskryf. Sluit asseblief alle bronne van inkomste soos salarisse, pensioene, inkomste uit beleggings, ens. in.	Q297 Please give me the letter that best describes the TOTAL MONTHLY PERSONAL INCOME of all the people in your household before tax and other deductions. Please indicate all sources of income, i.e. salaries, pensions, income from investments, etc.
<i>Codes/ Categories</i>	Geen inkomste=01	No income =01
	R1 – R500=02	R1 – R500=02
	R501 –R750=03	R501 –R750=03
	R751 – R1 000=04	R751 – R1 000=04
	R1 001-R1 500=05	R1 001-R1 500=05
	R1 501 – R2 000=06	R1 501 – R2 000=06
	R2 001 – R3 000=07	R2 001 – R3 000=07
	R3 001 – R5 000=08	R3 001 – R5 000=08
	R5 001 – R7 500=09	R5 001 – R7 500=09
	R7 501 – R10 000=10	R7 501 – R10 000=10
	R10 001 – R15 000=11	R10 001 – R15 000=11
	R15 001 – R20 000=12	R15 001 – R20 000=12
	R20 001 – R30 000=13	R20 001 – R30 000=13
	R30 001 – R50 000=14	R30 001 – R50 000=14
	R50 001 +=15	R50 001 +=15
	Weier om te antwoord=97	Refuse to answer =97
	Onseker/Weet nie=98	Uncertain/Don't know =98
<i>Interviewer Instruction</i>	Gee die respondent die toonkaart met die letter wat die totale maandelikse inkomste die beste beskryf. Omkring die nommer op die vraelys	Give the respondent the show card with the letter that describes the total monthly income. Circle the number on the questionnaire
<i>Translation Note</i>		
<i>Note</i>	Name of the currency: ZAR	

Filter Variable(s) and Conditions:

--

Construction/Recoding: (If asking for income classes, report classes offered to respondents. If asking for individual amounts, list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers.)

Country Variable Codes/Construction Rules	→ZA_RINC
If q297=02 then za_rinc=250	02 R1 – R500 (250)
If q297=03 then za_rinc=625	03 R501 –R750 (625)
If q297=04 then za_rinc=875	04 R751 – R1 000 (875)
If q297=05 then za_rinc=1250	05 R1 001–R1 500 (1250)
If q297=06 then za_rinc=1750	06 R1 501 – R2 000 (1750)
If q297=07 then za_rinc=2500	07 R2 001 – R3 000 (2500)
If q297=08 then za_rinc=4000	08 R3 001 – R5 000 (4000)
If q297=09 then za_rinc=6250	09 R5 001 – R7 500 (6250)
If q297=10 then za_rinc=8750	10 R7 501 – R10 000 (8750)
If q297=11 then za_rinc=12500	11 R10 001 – R15 000 (12500)
If q297=12 then za_rinc=17500	12 R15 001 – R20 000 (17500)
If q297=13 then za_rinc=25000	13 R20 001 – R30 000 (25000)
If q297=14 then za_rinc=40000	14 R30 001 – R50 000 (40000)
If q297=15 then za_rinc=60000	15 R50 001 + (60000)
IF q297=01 then za_rinc=000000	000000. No income
If q297 =97 then za_rinc =999997	999997. Refused
IF q297 =98 then za_rinc =999998	999998. Don't know
If q297=. Then za_rinc =999999	999999. No answer

Optional: Recoding Syntax

```

RECODE
  q297
  (97=999997) (98=999998) (1=0) (2=250) (3=625) (4=875) (5=1250) (6=1750)
  (7=2500) (8=4000) (9=6250)
  (10=8750) (11=12500) (12=17500) (13=25000) (14=40000) (15=60000)
  (SYSMIS=999999) (ELSE=Copy) INTO za_rinc .
VARIABLE LABELS za_rinc 'Country specific personal income: South Africa'.
EXECUTE .

```

nat_INC – Country-specific: household income

	National Language	English Translation
<i>Question no. and text</i>	Q297. Dui asseblief die letter aan wat DIE TOTALE MAANDELIKSE HUISHOUDELIKE INKOMSTE van alle persone in u huishouding voor belasting en ander aftrekkings die beste beskryf. Sluit asseblief alle bronne van inkomste soos salarisse, pensioene, inkomste uit beleggings, ens. in.	Q297 Please give me the letter that best describes the TOTAL MONTHLY HOUSEHOLD INCOME of all the people in your household before tax and other deductions. Please indicate all sources of income, i.e. salaries, pensions, income from investments, etc.
<i>Codes/ Categories</i>	Geen inkomste=01	No income =01
	R1 – R500=02	R1 – R500=02
	R501 –R750=03	R501 –R750=03
	R751 – R1 000=04	R751 – R1 000=04
	R1 001-R1 500=05	R1 001-R1 500=05
	R1 501 – R2 000=06	R1 501 – R2 000=06
	R2 001 – R3 000=07	R2 001 – R3 000=07
	R3 001 – R5 000=08	R3 001 – R5 000=08
	R5 001 – R7 500=09	R5 001 – R7 500=09
	R7 501 – R10 000=10	R7 501 – R10 000=10
	R10 001 – R15 000=11	R10 001 – R15 000=11
	R15 001 – R20 000=12	R15 001 – R20 000=12
	R20 001 – R30 000=13	R20 001 – R30 000=13
	R30 001 – R50 000=14	R30 001 – R50 000=14
	R50 001 +=15	R50 001 +=15
	Weier om te antwoord=97	Refuse to answer =97
	Onseker/Weet nie=98	Uncertain/Don't know =98
<i>Interviewer Instruction</i>	Gee die respondent die toonkaart met die letter wat die totale maandelikse inkomste die beste beskryf. Omkring die nommer op die vraelys.	Give the respondent the show card with the letter that describes the total monthly income. Circle the number on the questionnaire
<i>Translation Note</i>		
<i>Note</i>	Name of the currency: ZAR	

Filter Variable(s) and Conditions:

--

Construction/Recoding: (If asking for income classes, report classes offered to respondents. If asking for individual amounts, list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers.)

Country Variable Codes/Construction Rules	→ZA_INC
If q296=02 then za_inc=250	02 R1 – R500 (250)
If q296=03 then za_inc=625	03 R501 –R750 (625)
If q296=04 then za_inc=875	04 R751 – R1 000 (875)
If q296=05 then za_inc=1250	05 R1 001–R1 500 (1250)
If q296=06 then za_inc=1750	06 R1 501 – R2 000 (1750)
If q296=07 then za_inc=2500	07 R2 001 – R3 000 (2500)
If q296=08 then za_inc=4000	08 R3 001 – R5 000 (4000)
If q296=09 then za_inc=6250	09 R5 001 – R7 500 (6250)
If q296=10 then za_inc=8750	10 R7 501 – R10 000 (8750)
If q296=11 then za_inc=12500	11 R10 001 – R15 000 (12500)
If q296=12 then za_inc=17500	12 R15 001 – R20 000 (17500)
If q296=13 then za_inc=25000	13 R20 001 – R30 000 (25000)
If q296=14 then za_inc=40000	14 R30 001 – R50 000 (40000)
If q296=15 then za_inc=60000	15 R50 001 + (60000)
IF q296=01 then za_inc=000000	000000. No income
If q296=97 then za_inc =999997	999997. Refused
IF q296 =98 then za_inc =999998	999998. Don't know
If q296=. Then za_inc =999999	999999. No answer

Optional: Recoding Syntax

```

RECODE
  q296
  (97=999997) (98=999998) (1=0) (2=250) (3=625) (4=875) (5=1250) (6=1750)
  (7=2500) (8=4000) (9=6250)
  (10=8750) (11=12500) (12=17500) (13=25000) (14=40000) (15=60000)
  (SYSMIS=999999) (ELSE=Copy) INTO za_inc .
VARIABLE LABELS za_inc 'Country specific household income: South Africa'.
EXECUTE.

```

MARITAL – Legal partnership status

	National Language	English Translation
<i>Question no. and text</i>	Q229 Wat is u huidige huwelikstatus?	Q229 What is your current marital status?
<i>Codes/ Categories</i>	1.Getroud (Tradisionele kulturele troue)	1.Married (customary only)
	2.Getroud (Siviel)	2.Married (civil only)
	3.Getroud (Biede tradisioneel en siviel)	3.Married (both customary and civil)
	4.Vervreem van eggenoot of lewensmaat	4.Separated from spouse/civil partner
	5.Geskei van eggenoot of lewensmaat	5.Divorced from spouse/civil partner
	6.Wewenaar/weduwee	6.Widowed/civil partner died
	7.Nooit getroud nie	7.Never married/never in civil partnership
	8.Weier om te antwoord	8.Refused to answer
	9.Weet nie	9.Don't know
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding:

Country Variable Codes/Construction Rules	→ Marital
If q229=1/2/3 then marital=1	1. Married
	2. Civil partnership
If q229=4 then marital=3	3. Separated from spouse/civil partner (still legally married/still legally in a civil partnership)
If q229=5 then marital=4	4. Divorced from spouse/legally separated from civil partner
If q229=6 then marital=5	5. Widowed/civil partner died
If q229=7 then marital=6	6. Never married/never in a civil partnership
If q229=9 then marital=8	8. Don't know
If q229=8 then marital=7	7. Refused
If q229=. then marital=9	9. No answer

*Optional: Recoding Syntax***Civil partnership not asked**

```

RECODE
q229
(1 THRU 3=1) (4=3) (5=4) (6=5) (7=6) (8=7) (9=8) (SYSMIS=9) (ELSE=Copy) INTO

```



```
marital .  
VARIABLE LABELS marital 'R: Marital status'.  
EXECUTE .
```

ISSP 2010 South Africa

URBRURAL – Place of living: urban – rural

This question derived from geotype variable-caution

	National Language	English Translation
<i>Question no. and text</i>	Derived from geotype variable	Derived from geotype variable
<i>Codes/ Categories</i>		1=Urban, formal
		2 =Urban, informal
		3 =Tribal
		4 =Rural, formal
<i>Interviewer Instruction</i>		99=NA
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ URBRURAL
If geotype=1 then urbrural=1	1. A big city
If geotype=2 then urbrural=2	2. The suburbs or outskirts of a big city
	3. A town or a small city
If geotype=3 then urbrural=4	4. A country village
If geotype=4 then urbrural=5	5. A farm or home in the country
If geotype=. then urbrural=9	9. No answer

Optional: Recoding Syntax

```

RECODE
  geotype
  (1=1) (2=2) (3=4) (4=5) (SYSMIS=9) INTO Urbrural .
VARIABLE LABELS Urbrural 'Urbrural'.
EXECUTE .

```

nat_REG – Country specific: region

	National Language	English Translation
<i>Question no. and text</i>		Derived from Province variable
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_REG
	...
	9999. No answer

Optional: Recoding Syntax

<pre> RECODE province (SYSMIS=99) (ELSE=Copy) INTO za_REG . VARIABLE LABELS za_REG 'Region: South Africa'. EXECUTE . </pre>

SUBSCASE – Case substitution flag

	National Language	English Translation
Question no. and text		
Codes/ Categories		
Interviewer Instruction		
Translation Note		
Note		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ SUBSCASE
	0. NAP, no substitution in this survey
	1. Case from original sample
	2. Case substituted

Optional: Recoding Syntax

<p>IF (EA = 21401001 EA = 51100338) subcase=2. RECODE subcase (SYSMIS=1). EXECUTE.</p>
--

WEIGHT – Weighting factor

Please report on whether you calculate any weighting variables. If you adjust for non-response bias, please enter the variable(s) on which the sample's distribution(s) is (are) adjusted to the population distribution(s). Please, also report if you apply any kind of rescaling.

<i>Design weight to adjust for unequal selection probabilities</i>	<p>No</p> <p>Yes</p> <p>Explicit stratification variables: Province, population group and geography type (viz. urban formal, urban informal, tribal and rural formal, including commercial farms).</p> <p>The EA (census enumerator area) is used as PSU (primary sampling unit) and the number of households (HHs) in the EA as the MOS (measure of size). EA's are drawn within the explicit strata pps and a fixed number of households drawn per drawn EA. Within each drawn HH one person 16 years or older is drawn at random using Kish's grid.</p>
<i>Weight to adjust for non-response bias</i>	<p>No</p> <p>Yes</p> <p>Non-response adjustment = number of drawn HHs per EA / number of responding HHs (i.e. where a person 16+ is successfully interviewed) provided that at least 50% of households responded. Otherwise two similar (i.e. in the same explicit stratum) and neighbouring EAs are combined and a combined adjustment factor calculated.</p> <p>Person and household weights are benchmarked using the SAS CALMAR macro and province, population group, gender and 5 age groups (i.e. 16-24, 25-34, 35-49, 50-50 and 60 and older) as benchmark variables for persons and province and population group of the respondent in the household for households as benchmark variables. The marginal totals for the benchmark variables are obtained from the applicable midyear estimates as published by Statistics South Africa. In other words, the estimated South African population for the applicable year is used as target population.</p>
<i>Sum of the final weights changes net sample size (rescaling)</i>	<p>No</p> <p>Yes</p> <p>No, not explicitly but only implicitly</p> <p>I assume that this question relates to whether sample sizes are rescaled with the view to do cross-tabulating analyses using STATA. Sub-class analyses are done by using SAS surveymeans, using the "domain" facility.</p> <p>→please specify target population of rescaling</p>
<i>Note</i>	

MODE – Administrative mode of data-collection

Note	All interviews were done by paper and pencil, with an interpreter and visuals=14
------	--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ Mode
	10. F2f/PAPI, no visuals
	11. F2f/PAPI, visuals
	12. F2f/PAPI, respondent reading questionnaire
	13. F2f/PAPI, interpreter or translator – no visuals
	14. F2f/PAPI, interpreter or translator – visuals
	20. CAPI, no visuals
	21. CAPI, visuals
	22. CAPI, respondent reading questionnaire (paper or on monitor)
	23. CAPI, interpreter or translator – no visuals
	24. CAPI, interpreter or translator – visuals
	30. SC, arrives with interviewer, interviewer attending
	31. SC, arrives with interviewer, drops-off, picks up later
	32. SC, arrives with interviewer, drops off, mailed back by R
	33. SC, mailed to, completed by R and hold for pick up
	34. SC, mailed to, mailed back by R
	40. CASI, self-completion, computer-assisted

4. Country Questionnaire

Please provide the part(s) of your country questionnaire that relate(s) to the background variables reported in this template. If these variables are already covered by your country's field questionnaire delivered with your national ISSP data file, then just tick on the last page of this document. (PDF or MS Word format preferred.)

Already included in field questionnaire provided with the country data file.

Attached file: XXXXX.XXX

5. Frequency Distributions of Source Variables

Please supply frequency distributions with absolute and relative frequencies, missing values *included*, for **all source variables**. *Source variables* are the country-specific variables **before** recodes into ISSP standard variables are done. (MS Word or simple ASCII file preferred.)

Attached file: YYYYYY.YYY.

6. Correspondence list ISCO88<->national occupation codes

If your country derives ISCO88 codes from a national occupation coding scheme, please supply a correspondence list of national codes and ISCO88 codes. (MS Word or simple ASCII file preferred.)

ISCO88 is used to code responses directly.

Conversion of national coding scheme to ISCO88. Attached file: ZZZZZZ.ZZZ.